



Art.No.: M-3152

Drucktank 30.845 Liter aus V2A, temperierbar

€35,500.00

plus 19% VAT

1 Stück available immediately

Standort / Lager: 33378 Rheda-Wiedenbrück

Description

Allgemein

Volume approx.	30845 l
Material in contact with product	1.4301(AISI304) V2A
Structure	Standing
Condition	Used

Ausführung

Insulation	yes
Interior surface	Smoothed
Exterior surface	Smoothed
Floor type	Torispherical bottom
Head design	Torispherical bottom
Insulated area	Complete
Insulation cladding	Fully welded stainless steel
Druckfest	ja

Ausstattung

Temperature-controllable	yes
Temperature control area	Shell area
Temperature control system	Half-pipe coils

Aufstellung

Supports	Stainless steel feet
----------	----------------------

Ein-/Anbauten

Cleaning/CIP nozzle
Lifting lugs

in head
yes

Technische Dokumentation

Technical documentation


Designation

Sonstige Hinweise

Letzte Verwendung

Lebensmittel

Images





TMI INOX		BBT	
www.tminox.com			
Vessel technical data			
Internal volume	30 845 l	Minimum allowable temperature TSmin	-10°C
Maximum allowable pressure PS	3.3 bar	Maximum allowable temperature TSmax	30°C
Date / Test pressure Pt (15.4/20)	/ 4.7 bar	Safety accessories	3.3 bar
Jacket technical data			
Internal volume	187 l	Minimum allowable temperature TSmin	-10°C
Maximum allowable pressure PS	3bar	Maximum allowable temperature TSmax	30°C
Date / Test pressure Pt	/ 4.5 bar	Jacket maximum pressure Pjmax	2 bar
Administrative and supplementary information			
Serial number	120.013.03.01	Stock number	-
Standard	EN 13446 2016	Fluid group / Product	Group II / Beer CO2
Tare mass	4220 kg	Material	1.4307
Equipment output/voltage supply		Year of manufacture	2020
Manufacturer	Tomix-Metal	Address	Bulgaria, Plovdiv 176 Breznevsko shosse
 1853			