

Article no.: M-2587



Product data:
**Behälter 24.500 Liter aus V2A einwandig,
gebraucht,
Standing**

EUR 13.200,00

zzgl. 19 % MwSt. excl. shipping

in stock: 3

Location: 33378 Rheda-Wiedenbrück

Behälter 24.500 Liter aus V2A einwandig, gebraucht consists of the material 1.4301(AISI304) V2A. The volume is approx. 24,500 litres.

Behälter 24.500 Liter aus V2A einwandig, gebraucht was last used in the following area: Chemistry.

3 pieces of Behälter 24.500 Liter aus V2A einwandig, gebraucht is/are currently still available. Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4301(AISI304) V2A

Volume approx. 24,500 litres

Structure Standing

DIN design unknown

Year of manufacture 1998

Manufacturer Hagemann

Condition Used

Dimensions approx.

External diameter 2100 mm

Cyl. height 6500 mm

Foot height 850 mm

Total height 7000 mm

Wall thickness of product chamber head 3,00 mm

Wall thickness of product chamber shell 3,00 mm

Wall thickness of product chamber floor 3,00 mm

Design

Weight approx. 1850 kg

Weight per unit volume approx. 1300 kg/m³

Insulation No

Interior surface Smoothed

Floor type Torispherical bottom

Head design Torispherical bottom

Product chamber operating pressure Atmospheric/unpressurised

Product chamber operating temperature 100,00 °C

Equipment

Temperature-controllable No

Operating temperature 60 °C

Agitator

Agitator unavailable

Supports

Supports Steel feet

Number of feet 4 (piece)

Fixtures and fittings

Mannloch 1 Größe 500 DN mm

Mannloch 2 Größe 520 DN mm

Mannloch 3 Größe 400 DN mm

Manway position In shell and head

Nozzle connector Flange

Outlet nozzle 50

Fixtures and fittings Lifting lugs

Additional fixtures and fittings Nameplate,

Other notices

Technical documentation Designation

Note Außendurchmesser 2400 mm incl. der
Verstärkungsringe.

Last usage Chemistry

Pictures





GEBRÜDER HAGEMANN GMBH & CO. APPARATEBAU D-59269 BECKUM			
Fabrik.-Nr.	98/0086	Com.-Nr.	98/277
Räume	PRODUKT	Baujahr	1998
zul. Betriebs- überdruck	bar 0	Prüfzeichen	134108
Betriebstemp.	°C 100	Gefahrenklasse	1
Inhalt	Ltr. 24500	Prüfüberdruck	bar 0.5
Dichte	kg/dm³ 1.2	Tank-ø mm	1600
Werkstoff	1.2.30.4	max. Füllhöhe m	1.5
		Leergewicht kg	1850

**Achtung! Es dürfen nur die im Prüfbescheid
bezeichneten Flüssigkeiten gelagert werden**

Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)