



Article no.: M-2953

Product data:
Behälter 15.000 Liter aus V2A einwandig,
gebraucht,
Standing

EUR 13.200,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück

Behälter 15.000 Liter aus V2A einwandig, gebraucht consists of the material 1.4301(AISI304) V2A. The volume is approx. 15,000 litres.

Behälter 15.000 Liter aus V2A einwandig, gebraucht was last used in the following area: Foodstuffs.

1 pieces of Behälter 15.000 Liter aus V2A einwandig, gebraucht is/are currently still available. Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4301(AISI304) V2A

Volume approx. 15,000 litres

Structure Standing

DIN design unknown

Year of manufacture 1994

Manufacturer Apparate- u. Behälterbau Harrislee

Condition Used

Dimensions approx.

External diameter 2500 mm

Cyl. height 3000 mm

Foot height 1700 mm

Total height 6100 mm

Design

Weight approx. 2000 kg

Weight per unit volume approx. 1000 kg/m³

Insulation No

Interior surface Smoothed

Exterior surface Smoothed

Floor type Conical bottom

Head design Conical bottom

Product chamber operating over-pressure 0,10 bar

Equipment

Temperature-controllable No

Operating temperature 98 °C

Agitator

Agitator quantity 1 (piece)

Agitator position Head central

Agitator type Zeta agitator

Agitator - Voltage 380 V

Agitator - Output 11/11 kW

Agitator - RPM 28/34 UpM

Supports

Supports Stainless steel feet

Number of feet 5 (piece)

Note on supports höhenverstellbar

Fixtures and fittings

Mannloch 1 Größe 430 DN mm

Manway position In head

Nozzles/connectors in head 2xDN65 (piece)

Outlet nozzle 65

Fixtures and fittings Lifting lugs

Sample taking

Additional fixtures and fittings Air vent, Nameplate,

Other notices


Technical documentation None


Last usage Foodstuffs

Pictures



SEW-EURODRIVE Bruchsal/Germany				CE
Typ	FAP107 DV160M-4/TF	3~ IEC 34		
Nr.	3062108403.0001.99	H5		IM
kW	7.5/11	COS φ	0.83	
r/min	1440/28	1740/34		
50Hz V	380-415Δ/660-690YA	22.5/13.0	C1E	
60Hz V	415-460Δ	A20.50	IP54	
Bremse V		Nm	Ma3300/3060	
kg	366	150.73	1:1 MINER. OEL	CLP-22
	185 353 8.11	Schmierstoff nach Betriebsanleitung		





Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)