

Article no.: M-3089



Product data:
**Behälter 20.000 Liter aus V2A. isoliert,
temperierbar, gebraucht,
Standing**

EUR 25.800,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück

Behälter 20.000 Liter aus V2A. isoliert, temperierbar, gebraucht consists of the material 1.4301(AISI304) V2A. The volume is approx. 20,000 litres. The diameter inside includes 2392 mm.

Behälter 20.000 Liter aus V2A. isoliert, temperierbar, gebraucht was last used in the following area: Foodstuffs.

1 pieces of Behälter 20.000 Liter aus V2A. isoliert, temperierbar, gebraucht is/are currently still available.

Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4301(AISI304) V2A

Volume approx. 20,000 litres

Structure Standing

DIN design unknown

Year of manufacture 1992

Manufacturer Tuchenhausen

Condition Used

Dimensions approx.

Internal diameter 2392 mm
External diameter 2530 mm
Cyl. height 4470 mm
Outlet height 680 mm
Total height 6235 mm
Wall thickness of product chamber head 2,50 mm
Wall thickness of product chamber shell 3,00 mm
Wall thickness of product chamber floor 4,00 mm

Design

Weight approx. 3000 kg
Weight per unit volume approx. 1000 kg/m³
Insulation No
Insulated area Shell and floor
Insulation cladding Fully welded stainless steel
Interior surface Smoothed
Exterior surface Smoothed
Floor type Conical bottom
Head design Conical bottom
Product chamber operating pressure Atmospheric/unpressurised

Equipment

Temperature-controllable No
Temperature control area Shell and floor area
Temperature control system Half-pipe coils
Operating temperature 80 °C
Temperature control system operating pressure/pipe chamber 3,0 bar
Temperature control system operating temperature/pipe chamber 95 °C
Temperature control system/pipe chamber capacity 34 litres

Agitator

Agitator quantity 1 (piece)

Agitator position At bottom at the side in shell

Agitator type Propeller

Supports

Supports Stainless steel feet

Number of feet 4 (piece)

Note on supports höhenverstellbar

Fixtures and fittings

Manway position In shell

Outlet nozzle 65

Cleaning/CIP nozzle in shell and head

Fixtures and fittings Lifting lugs



Additional fixtures and fittings Air vent, Nameplate,


Other notices

Technical documentation Designation

Last usage Foodstuffs

Pictures





Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)