



Article no.: M-3033

Product data:
Behälter 25.000 Liter aus V4A,
temperierbar, isoliert, gebraucht,
Standing

EUR 31.700,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück

Behälter 25.000 Liter aus V4A, temperierbar, isoliert, gebraucht consists of the material 1.4571(AISI316) V4A. The volume is approx. 25,000 litres. The diameter inside includes 2750 mm.

Behälter 25.000 Liter aus V4A, temperierbar, isoliert, gebraucht was last used in the following area: .

1 pieces of Behälter 25.000 Liter aus V4A, temperierbar, isoliert, gebraucht is/are currently still available.

Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4571(AISI316) V4A

Note on material 1.4404

Volume approx. 25,000 litres

Structure Standing

DIN design unknown

Year of manufacture 2007

Manufacturer Ullmann

Condition Used

Dimensions approx.

Internal diameter 2750 mm

External diameter 2925 mm

Cyl. height 4000 mm

Total height 6500 mm

Wall thickness of product chamber head 4,00 mm

Wall thickness of product chamber shell 4,00 mm

Wall thickness of product chamber floor 4,00 mm

Design

Weight approx. 2500 kg

Weight per unit volume approx. 1000 kg/m³

Insulation No

Insulated area Shell and floor

Insulation cladding Fully welded stainless steel

Insulating material PU foam

Interior surface Smoothed

Exterior surface Smoothed

Floor type Conical bottom

Head design Conical bottom

Product chamber operating pressure Atmospheric/unpressurised

Product chamber operating temperature 55,00 °C

Equipment

Temperature-controllable No

Temperature control area Shell and floor area

Operating temperature 55 °C

**Temperature control system operating
pressure/pipe chamber** 3,0 bar

**Temperature control system operating
temperature/pipe chamber** 15 °C

Temperature control system/pipe chamber capacity 469 litres

Agitator

Agitator quantity 1 (piece)

Agitator position Head central

Agitator type Zeta agitator

Supports

Supports Stainless steel feet

Number of feet 5 (piece)

Note on supports höhenverstellbar

Fixtures and fittings

Mannloch 1 Größe 500 DN mm

Manway position In head

Outlet nozzle 80

Cleaning/CIP nozzle in head

Fixtures and fittings


Additional fixtures and fittings Air vent, Nameplate,

Other notices

Technical documentation Designation

Pictures





Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)