



Article no.: M-3119

Product data:
**Behälter 5.000 Liter aus V2A einwandig,
gebraucht,**

EUR 6.200,00
zzgl. 19 % MwSt. excl. shipping
in stock: 1
Location: 33378 Rheda-Wiedenbrück

Behälter 5.000 Liter aus V2A einwandig, gebraucht consists of the material 1.4301(AISI304) V2A. The volume is approx. 5,000 litres.

Behälter 5.000 Liter aus V2A einwandig, gebraucht was last used in the following area: Chemistry.

1 pieces of Behälter 5.000 Liter aus V2A einwandig, gebraucht is/are currently still available. Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4301(AISI304) V2A

Volume approx. 5,000 litres

Structure Hanging

DIN design unknown

Year of manufacture 1993

Manufacturer OKKN

Condition Used

Dimensions approx.

External diameter 1800 mm

Cyl. height 1600 mm

Total height 3000 mm

Design

Weight approx. 1000 kg

Weight per unit volume approx. 1000 kg/m³

Insulation No

Interior surface Smoothed

Exterior surface Smoothed

Floor type Torispherical bottom

Head design Torispherical bottom

Product chamber operating pressure Atmospheric/unpressurised

Equipment

Temperature-controllable No

Operating temperature 25 °C

Agitator

Agitator quantity 1 (piece)

Agitator position Head central

Agitator type Propeller

Agitator - Voltage 380 V

Agitator - Output 3 kW

Agitator - RPM 960 UpM

Supports

Note on supports Tragring aus Stahl

Fixtures and fittings

Mannloch 1 Größe 480 DN mm

Manway position In head

Nozzles/connectors in head 2xDN50 3xDN65 (piece)

Outlet nozzle 50

Fixtures and fittings

Additional fixtures and fittings Nameplate,


Other notices

Technical documentation None

Last usage Chemistry

Pictures





Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)