



Article no.: M-2476

Product data:
Druckbehälter 50.000 Liter aus V2A
einwandig, gerbaucht,
Standing

EUR 23.800,00
zzgl. 19 % MwSt. excl. shipping
in stock: 1
Location: 33442 Hezebrock

Druckbehälter 50.000 Liter aus V2A einwandig, gerbaucht consists of the material 1.4541(AISI321). The volume is approx. 50,000 litres. The diameter inside includes 3200 mm.

Druckbehälter 50.000 Liter aus V2A einwandig, gerbaucht was last used in the following area: Chemistry.

1 pieces of Druckbehälter 50.000 Liter aus V2A einwandig, gerbaucht is/are currently still available. Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4541(AISI321)

Volume approx. 50,000 litres

Structure Standing

DIN design unknown

Year of manufacture 1960

Manufacturer Stahlbau Lavis

Condition Used

Dimensions approx.

Internal diameter 3200 mm
External diameter 3350 mm
Cyl. height 5900 mm
Outlet height 650 mm
Total height 8100 mm
Wall thickness of product chamber head 8,00 mm
Wall thickness of product chamber shell 6,00 mm
Wall thickness of product chamber floor 8,00 mm

Design

Weight approx. 5500 kg
Weight per unit volume approx. 1000 kg/m³
Insulation No
Interior surface Matt
Exterior surface Matt
Floor type Torispherical bottom
Head design Torispherical bottom
Product chamber operating over-pressure 3,20 bar

Equipment

Temperature-controllable No
Operating temperature 30 °C

Agitator

Agitator unavailable

Supports

Supports Steel feet
Number of feet 4 (piece)

Fixtures and fittings

Mannloch 1 Größe 500 DN mm

Mannloch 2 Größe 500 DN mm

Manway position In shell and head

Nozzle connector Flange

Outlet nozzle 50

Fixtures and fittings Lifting lugs

Additional fixtures and fittings Nameplate,

Other notices

Technical documentation Designation


Technical documentation Pressure test certificate

Note Außendurchmesser = Transportmaß.

Last usage Chemistry

Pictures





Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)