

Article no.: M-2587



**Product data:**  
**Behälter 24.500 Liter aus V2A einwandig,  
gebraucht,  
Standing**

EUR 13.200,00

zzgl. 19 % MwSt. excl. shipping

in stock: 3

Location: 33378 Rheda-Wiedenbrück

Behälter 24.500 Liter aus V2A einwandig, gebraucht consists of the material 1.4301(AISI304) V2A. The volume is approx. 24,500 litres.

Behälter 24.500 Liter aus V2A einwandig, gebraucht was last used in the following area: Chemistry.

3 pieces of Behälter 24.500 Liter aus V2A einwandig, gebraucht is/are currently still available. Delivery can take place worldwide.

## Product description

### General

---

**Material in contact with product** 1.4301(AISI304) V2A

**Volume approx.** 24,500 litres

**Structure** Standing

**DIN design** unknown

**Year of manufacture** 1998

**Manufacturer** Hagemann

**Condition** Used

## Dimensions approx.

---

**External diameter** 2100 mm

**Cyl. height** 6500 mm

**Foot height** 850 mm

**Total height** 7000 mm

**Wall thickness of product chamber head** 3,00 mm

**Wall thickness of product chamber shell** 3,00 mm

**Wall thickness of product chamber floor** 3,00 mm

## Design

---

**Weight approx.** 1850 kg

**Weight per unit volume approx.** 1300 kg/m<sup>3</sup>

**Insulation** No

**Interior surface** Smoothed

**Floor type** Torispherical bottom

**Head design** Torispherical bottom

**Product chamber operating pressure** Atmospheric/unpressurised

**Product chamber operating temperature** 100,00 °C

## Equipment

---

**Temperature-controllable** No

**Operating temperature** 60 °C

## Agitator

---

**Agitator** unavailable

## Supports

---

**Supports** Steel feet

**Number of feet** 4 (piece)

## Fixtures and fittings

---

**Mannloch 1 Größe** 500 DN mm

**Mannloch 2 Größe** 520 DN mm

**Mannloch 3 Größe** 400 DN mm

**Manway position** In shell and head

**Nozzle connector** Flange

**Outlet nozzle** 50

**Fixtures and fittings** Lifting lugs

**Additional fixtures and fittings** Nameplate,

## Other notices

---

**Technical documentation** Designation

**Note** Außendurchmesser 2400 mm incl. der  
Verstärkungsringe.

**Last usage** Chemistry

## Pictures





| <b>GEBRÜDER HAGEMANN</b><br><small>GMBH &amp; CO. APPARATEBAU<br/>D-59269 BECKUM</small> |            |                 |          |
|------------------------------------------------------------------------------------------|------------|-----------------|----------|
| Fabrik.-Nr.                                                                              | 98/0086    | Com.-Nr.        | 98/277   |
| Räume                                                                                    | PRODUST    | Baujahr         | 1998     |
| zul. Betriebs-<br>überdruck                                                              | bar 0      | Prüfzeichen     | 134108   |
| Betriebstemp.                                                                            | °C 100     | Gefahrenklasse  | 1        |
| Inhalt                                                                                   | Ltr. 24500 | Prüfüberdruck   | bar 0.25 |
| Dichte                                                                                   | kg/dm³ 1.2 | Tank-ø mm       | 2100     |
| Werkstoff                                                                                | 1.2304     | max. Füllhöhe m | 1.50     |
|                                                                                          |            | Leergewicht kg  | 1850     |

**Achtung!** Es dürfen nur die im Prüfbescheid bezeichneten Flüssigkeiten gelagert werden.

## Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)