



Article no.: M-2717

Product data:
**Druckbehälter 170 Liter aus V2A, isoliert,
temperierbar, gebraucht,
Standing**

EUR 1.600,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück

Druckbehälter 170 Liter aus V2A, isoliert, temperierbar, gebraucht consists of the material 1.4541(AISI321). The volume is approx. 170 litres. The diameter inside includes 500 mm.

Druckbehälter 170 Liter aus V2A, isoliert, temperierbar, gebraucht was last used in the following area:
Foodstuffs.

1 pieces of Druckbehälter 170 Liter aus V2A, isoliert, temperierbar, gebraucht is/are currently still available.
Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4541(AISI321)

Volume approx. 170 litres

Structure Standing

DIN design unknown

Year of manufacture 1992

Manufacturer Tecnomara, Fernwald

Condition Used

Dimensions approx.

Internal diameter 500 mm

External diameter 650 mm

Cyl. height 750 mm

Total height 1200 mm

Design

Weight approx. 200 kg

Weight per unit volume approx. 1000 kg/m³

Insulation No

Insulated area Shell and floor

Insulation cladding Fully welded stainless steel

Interior surface Smoothed

Exterior surface Smoothed

Floor type Torispherical bottom

Head design Hinged lid

Product chamber operating over-pressure 2,50 bar

Product chamber operating under-pressure -1 bar

Equipment

Temperature-controllable No

Operating temperature 140 °C

Heating medium Steam

Temperature control system operating pressure/pipe chamber 2,5 bar

Temperature control system operating temperature/pipe chamber 140 °C

Agitator

Agitator unavailable

Supports

Supports Stainless steel support skirt

Fixtures and fittings

Outlet nozzle 25

Fixtures and fittings

Additional fixtures and fittings

Other notices

Technical documentation None

Note Elektroheizung ohne Gewähr

Last usage Foodstuffs

Pictures





 TECNOMARA DEUTSCHLAND GMBH D-6301 Fernwald			
Hersteller: Fedegari		Nr.: 9119 E	
Typ: FVS 3		Baujahr: 1992 W	
Leistungsaufnahme: 8000		V	
Nennspannung: 3x380			
Raum		Nutzraum	Mantelraum
Zulässiger Betriebsüberdruck	bar	2,5/-1	2,5
Zulässige Betriebstemperatur	°C	140	140
Inhalt	Ltr.	130	10 NW
Beschickungsmittel		Dampf	Dampf



Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industribedarf GmbH apply. [View here.](#)