

Article no.: M-3085

Product data:
**Behälter 3.000 Liter aus V2A isoliert,
temperierbar, gebraucht,
Standing**

EUR 11.200,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück



Behälter 3.000 Liter aus V2A isoliert, temperierbar, gebraucht consists of the material 1.4301(AISI304) V2A. The volume is approx. 3,000 litres. The diameter inside includes 1600 mm.

Behälter 3.000 Liter aus V2A isoliert, temperierbar, gebraucht was last used in the following area: Foodstuffs.

1 pieces of Behälter 3.000 Liter aus V2A isoliert, temperierbar, gebraucht is/are currently still available. Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4301(AISI304) V2A

Volume approx. 3,000 litres
Structure Standing
DIN design unknown
Year of manufacture 1992
Manufacturer Dieball
Condition Used

Dimensions approx.

Internal diameter 1600 mm
External diameter 1738 mm
Cyl. height 1500 mm
Foot height 955 mm
Total height 3500 mm

Design

Weight approx. 1200 kg
Weight per unit volume approx. 1000 kg/m³
Insulation No
Insulated area Shell and floor
Insulation cladding Fully welded stainless steel
Interior surface Smoothed
Exterior surface Smoothed
Floor type Conical bottom
Head design Conical bottom
Product chamber operating pressure Atmospheric/unpressurised

Equipment

Temperature-controllable No
Temperature control area Shell and floor area
Temperature control system Half-pipe coils
Temperature control system operating pressure/pipe chamber 3,0 bar
Temperature control system operating temperature/pipe chamber 95 °C
Temperature control system/pipe chamber capacity 35 litres

Agitator

Agitator quantity 1 (piece)

Agitator position Head off-centre

Agitator type Zeta agitator

Note on agitator Motor defekt

Agitator manufacturer PRG

Agitator - Voltage 380 V

Agitator - Output 0,66 / 1,3 kW

Agitator - RPM 19 / 38 UpM

Supports

Supports Stainless steel feet

Number of feet 3 (piece)

Note on supports hoehenstellbar

Fixtures and fittings

Mannloch 1 Größe 430 DN mm

Manway position In head

Outlet nozzle 65

Cleaning/CIP nozzle in head

Fixtures and fittings Lifting lugs

Additional fixtures and fittings Air vent, Nameplate,

Other notices

Technical documentation Designation

Note RÃ¼hrwerksmotor defekt

Last usage Foodstuffs

Pictures





Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)