

Article no.: M-3135

Product data:
**Behälter 500 Liter aus V2A temperierbar,
gebraucht,
Standing**

EUR 2.800,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück



Behälter 500 Liter aus V2A temperierbar, gebraucht consists of the material 1.4541(AISI321). The volume is approx. 500 litres. The diameter inside includes 1000 mm.

Behälter 500 Liter aus V2A temperierbar, gebraucht was last used in the following area: Chemistry.

1 pieces of Behälter 500 Liter aus V2A temperierbar, gebraucht is/are currently still available. Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4541(AISI321)

Volume approx. 500 litres

Structure Standing

DIN design unknown

Year of manufacture 1967

Manufacturer Hugo Rossmann

Condition Used

Dimensions approx.

Internal diameter 1000 mm

Cyl. height 670 mm

Total height 2900 mm

Design

Weight approx. 800 kg

Weight per unit volume approx. 1000 kg/m³

Insulation No

Interior surface Smoothed

Exterior surface Marbled

Floor type Torispherical bottom

Head design Torispherical bottom

Product chamber operating over-pressure 0,50 bar

Product chamber operating under-pressure VAK bar

Product chamber operating temperature 150,00 °C

Equipment

Temperature-controllable No

Temperature control area Shell and floor area

Operating pressure 0,50 bar

Operating temperature 150 °C

Temperature control system operating pressure/pipe chamber 3,0 bar

Temperature control system operating
temperature/pipe chamber 150 °C

Temperature control system/pipe chamber capacity 60 litres

Agitator

Agitator quantity 1 (piece)

Agitator position Head central

Agitator type Trapezoidal agitator

Agitator - Voltage 380 V

Agitator - Output 2,5 kW

Supports

Supports Steel feet

Number of feet 4 (piece)

Note on supports auf 2 Doppel-T-Träger schraubt

Fixtures and fittings

Manway position In head

Nozzles/connectors in head 2xDN50, 1xDN25 (piece)

Outlet nozzle 65

Fixtures and fittings

Additional fixtures and fittings Nameplate,

Other notices

Technical documentation None

Motor ex-geschützt; die Übereinstimmung mit den

Note aktuell geltenden ATEX-Richtlinien ist zu

überprüfen

Last usage Chemistry

Pictures





Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)