



Article no.: M-3132

Product data:
Behälter 2.410 Liter aus V4A
temperierbar, isoliert, gebraucht,

EUR 10.500,00

zzgl. 19 % MwSt. excl. shipping

in stock: 1

Location: 33378 Rheda-Wiedenbrück

Behälter 2.410 Liter aus V4A temperierbar, isoliert, gebraucht consists of the material 1.4571(AISI316) V4A. The volume is approx. 2,410 litres. The diameter inside includes 1500 mm.

Behälter 2.410 Liter aus V4A temperierbar, isoliert, gebraucht was last used in the following area: Chemistry.

1 pieces of Behälter 2.410 Liter aus V4A temperierbar, isoliert, gebraucht is/are currently still available. Delivery can take place worldwide.

Product description

General

Material in contact with product 1.4571(AISI316) V4A

Volume approx. 2,410 litres

Structure Hanging

DIN design unknown

Year of manufacture 1990

Manufacturer Roscher

Condition Used

Dimensions approx.

Internal diameter 1500 mm

External diameter 1650 mm

Cyl. height 1260 mm

Total height 3160 mm

Design

Weight approx. 1400 kg

Weight per unit volume approx. 1000 kg/m³

Insulation No

Insulated area Shell and floor

Insulation cladding Fully welded stainless steel

Interior surface Smoothed

Exterior surface Smoothed

Floor type Torispherical bottom

Head design Torispherical bottom

Product chamber operating over-pressure 0,49 bar

Product chamber operating under-pressure -1 bar

Equipment

Temperature-controllable No

Temperature control area Shell and floor area

Temperature control system Half-pipe coils

Operating pressure 0,49 bar

Operating temperature -20/200 °C

Temperature control system operating pressure/pipe chamber 10,0 bar

Temperature control system operating temperature/pipe chamber 200 °C

Temperature control system/pipe chamber capacity 132 litres

Agitator

Agitator quantity 1 (piece)

Agitator position Head central

Agitator type Trapezoidal agitator

Note on agitator Welle mit Bodenlager

Agitator - Voltage 380 V

Agitator - Output 3,6 kW

Supports

Supports Bracket supports

Number of feet 4 (piece)

Fixtures and fittings

Mannloch 1 Größe 450 DN mm

Manway position In head

Nozzles/connectors in head 1xDN300, 1xDN50, 2xDN25 (piece)

Outlet nozzle 80

Fixtures and fittings

Additional fixtures and fittings Nameplate,

Other notices

Technical documentation None

Motor ex-geschützt; die Übereinstimmung mit den

Note aktuell geltenden ATEX-Richtlinien ist zu

überprüfen

Last usage Chemistry

Pictures





Terms and conditions

The general terms and conditions of Georg Heuer Behälterhandel und Industriebedarf GmbH apply. [View here.](#)